

INSPEC

CE

EC TYPE-EXAMINATION CERTIFICATE: 1394

Product description: - Personal eye protection- Spectacles and goggles

Product identification: - See Schedule

Manufacturer: - Pyramex Safety Products, LLC
281 Moore Lane Collierville,
TN 38017 U.S.A.

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments relating to personal protective equipment.

Authorised EU Representative: Pyramex Safety Products Limited
Lane End Farm Industrial Units
Hatt Common, East Woodhay, Newbury
Berkshire, RG20 ONG, UK.

Signed:




Date: 7th November 2016

Helen Taft, Certification Manager

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 6th November 2018, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 29th September 2005



Terms and Conditions

Reference Documents: -

- | | | | | |
|------|--------------------------|---|---|---------------------------------------|
| i) | Test Reports | - | } | TF/1055, TF/0682, TF/2429 and TF/1394 |
| ii) | Technical File | - | | |
| iii) | Test and Inspection Plan | - | | |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Schedule TWO	Withdrawn	060209	Add model MINI ZTEK
Schedule THREE	Withdrawn	060405	Add model OTS CORTEZ, 3900 #G304, #G304T, #G404T
Schedule FOUR	Withdrawn	060503	Add model Venture II
(Amendment ONE)	Withdrawn	050406	Add TF/682
Schedule FIVE	Withdrawn	060515	Add model XSG
Pages 1-4	Withdrawn	080122	Add model Onix and V2G, Editorial changes
Pages 1-4	Withdrawn	080219	Add model Capstone
Pages 1-4	Withdrawn	080822	Addition of model Exeter
Pages 1-4	Withdrawn	090213	Addition of models, Highlander, Alair, Ice Blue Mirror, Ice Red Mirror and Infinity Blue
Pages 1 -4	Withdrawn	090226	Editorial changes to correct lens names
Pages 1 -4	Withdrawn	090811	Additional models
Pages 1 -4	Withdrawn	100611	Additional models, Onix, plus, Zone II, Mayan, Intrepid, Protocol, V2G-XP, Capstone (G604T), Capstone (G504T) amended, options added
Pages 1 -4	Withdrawn	100924	Added models Montego and Jumbo defiant
Pages 1 - 4	Withdrawn	110412	Added ARC LENS, GOLIATH, REATTA
Pages 1 - 4	Withdrawn	120316	Added models PMXSLIM, PMX5050,ACHIEVA, FORUM, I-FORCE, Lenses: Sandstone, Shooter Amber and Pink, Sunblock bronze
Pages 1 - 4	Withdrawn	120516	Addition of '603927/ 603928' TO 6000 Series.
Pages 1 - 6	Withdrawn	120608	Addition of models references GS1000C GS1000S, GS1000ARC, GS1500C, GS1500S, GS3000C, GS3000S, GS3000I5,, GS3000I3 , GS5000I3 , GS5000I5 , P-66385, P-66391, 17003, 17004 , 17005, 17006, 17007, 17008, 17273, 603928, 603927 , 603942, 603925, 603941, 126368, 12715, 17009, 603934, 603944, 603969 , 603924

CERTIFICATION INDEX

Item	Status	Issued	Amendment
Pages 1-7	Withdrawn	131106	Change of model name. Highlander to Highlander (Plus), V2G XP to V2G Plus. Add model Emerge, OTS XL, I-Force Slim, V3G Goggle, V3G Spectacles, Capstone combo, Drop zone, PMXCITE, polarised lens, IR 1.4 lens.
Pages 1-7	Withdrawn	140529	Add model Ever-Lite, GOGGLE(#G200T) , Dual Pane Capstone, Additional lens option for Goliath
Pages 1-8	Withdrawn	140626	Add model 048161,048162,048163,048164, 048166,048167,048168,048169,048170,048171, 052029,065126,069298,069299,069300, 069301,069303,069304,069305,069306 and White Goliath
Pages 1-9	Withdrawn	140801	Revise name of existing models 048161,048162,048163,048164,048166, 048167,048168,048169,048170,048171, 052029,065126,069298,069299,069300, 069301,069303,069304,069305,069306 to MO-TPC CLEAR (048161), MO-TPA ORANGE (048162), MO-CMOC CLEAR (048163), MO-CBC CLEAR (048164), MO-CBG GRAY (048166), MO-AC CLEAR (048167), MO-AY YELLOW (048168), MO-WPMOG GRAY (048169), MO-WPCY YELLOW (048170), MO-WPCO ORANGE (048171), MO-RECOMBO (052029), MO-WGMCOMBO (065126), MO-RWRP ORANGE (069298), MO-FYGC CLEAR (069299), MO-CGCY YELLOW (069300), MO-CGCA BRONZE (069301), MO-CGCS SANDSTONE (069303), MO-SGBY YELLOW (069304), MO-SGBB SANDSTONE (069305), MO-SGBA AMBER (069306). Add VALKEN series and Smoke Green lens
Pages 1-9	Withdrawn	141022	Add model Overwatch, Ocoee, Intrepid II, Solo, Integra and Smoke Vermilion lens
Pages 1-9	Withdrawn	141213	Update of standard reference.
Pages 1-9	Withdrawn	151123	Add model CAPSTONE RL, Vallejo, Proximity, Flex-Zone and Gravex
Pages 1-9	Withdrawn	160211	Authorised EU Representative updated.
Pages 1-9	Withdrawn	160522	Add model Isotope and Trulock
Pages 1-9	Valid	161107	Add model Endeavor Plus, Neshoba, EDROP2, ESB9310STM, ESB9320STM, Mini Ztek, Isotope Goggle and Special Orange Red lens

CERTIFICATION SCHEDULE

SPECTACLES

STYLE	OPTICAL CLASS	OPTIONS
ZTEK	1	LOW ENERGY (F)
RENDEZVOUS	1	LOW ENERGY (F)
MINI ZTEK	1	LOW ENERGY (SH)
OTS	1	LOW ENERGY (F)
CORTEZ	1	LOW ENERGY (F)
3900	1	LOW ENERGY (F)
VENTURE II	1	LOW ENERGY (F)
XSG	1	LOW ENERGY (F)
V2G	1	LOW ENERGY (F)
ONIX	1	LOW ENERGY (F)
ONIX PLUS	1	LOW ENERGY (F)
EXETER	1	LOW ENERGY (F)
HIGHLANDER (PLUS)	1	LOW ENERGY (F)
ALAIR	1	LOW ENERGY (F)
V2 METAL	1	LOW ENERGY (F)
6000 SERIES	1	LOW ENERGY (F)
ITEK	1	LOW ENERGY (F)
VENTURE 3	1	LOW ENERGY (F)
ENDEAVOR	1	LOW ENERGY (F)
ZONE II	1	LOW ENERGY (F)
MAYAN	1	LOW ENERGY (F)
INTREPID	1	LOW ENERGY (F)
PROTOCOL	1	LOW ENERGY (F)
MONTEGO	1	LOW ENERGY (F)
JUMBO DEFIANT	1	LOW ENERGY (F)
GOLIATH	1	INC. ROBUSTNESS (S)
(inc. polarizing lens, 5-3.1)		LOW ENERGY (F)
REATTA	1	LOW ENERGY (F)
PMXSLIM	1	LOW ENERGY (F)
PMX5050	1	LOW ENERGY (F)
ACHIEVA	1	LOW ENERGY (F)
FORUM	1	LOW ENERGY (F)
I-FORCE	1	LOW ENERGY (F)
GS1000C	1	LOW ENERGY (F)
GS1000S	1	LOW ENERGY (F)
GS1000ARC	1	LOW ENERGY (F)
GS1500C	1	LOW ENERGY (F)
GS1500S	1	LOW ENERGY (F)
GS3000C	1	LOW ENERGY (F)
GS3000S	1	LOW ENERGY (F)
GS3000I5	1	LOW ENERGY (F)
GS3000I3	1	LOW ENERGY (F)
GS5000I3	1	LOW ENERGY (F)
GS5000I5	1	LOW ENERGY (F)
P-66385	1	LOW ENERGY (F)
P-66391	1	LOW ENERGY (F)

CERTIFICATION SCHEDULE

SPECTACLES

STYLE	OPTICAL CLASS	OPTIONS
17003	1	LOW ENERGY (F)
17004	1	LOW ENERGY (F)
17005	1	LOW ENERGY (F)
17006	1	LOW ENERGY (F)
17007	1	LOW ENERGY (F)
17008	1	LOW ENERGY (F)
17273	1	LOW ENERGY (F)
603928	1	LOW ENERGY (F)
603927	1	LOW ENERGY (F)
603942	1	LOW ENERGY (F)
603925	1	LOW ENERGY (F)
603941	1	LOW ENERGY (F)
126368	1	LOW ENERGY (F)
12715	1	LOW ENERGY (F)
EMERGE	1	LOW ENERGY (F)
OTS XL	1	LOW ENERGY (F)
I- FORCE SLIM	1	LOW ENERGY (F)
V3G SPECTACLE	1	LOW ENERGY (F)
PMXCITE	1	LOW ENERGY (F)
(inc. polarizing lens, 5-3.1)		
DROP ZONE	1	LOW ENERGY (F)
Ever-Lite	1	LOW ENERGY (F)
MO-TPC CLEAR (048161)	1	LOW ENERGY (F)
MO-TPA ORANGE (048162)	1	LOW ENERGY (F)
MO-CBC CLEAR (048164)	1	LOW ENERGY (F)
MO-CBG GRAY (048166)	1	LOW ENERGY (F)
MO-AC CLEAR (048167)	1	LOW ENERGY (F)
MO-AY YELLOW (048168)	1	LOW ENERGY (F)
MO-WPMOG GRAY (048169)	1	LOW ENERGY (F)
MO-WPCY YELLOW (048170)	1	LOW ENERGY (F)
MO-WPCO ORANGE (048171)	1	LOW ENERGY (F)
MO-REMCOMBO (052029)	1	LOW ENERGY (F)
MO-WGMCOMBO (065126)	1	LOW ENERGY (F)
MO-RWRP ORANGE (069298)	1	LOW ENERGY (F)
MO-FYGC CLEAR (069299)	1	LOW ENERGY (F)
MO-CGKY YELLOW (069300)	1	LOW ENERGY (F)
MO-CGCA BRONZE (069301)	1	LOW ENERGY (F)
MO-CGCS SANDSTONE (069303)	1	LOW ENERGY (F)
MO-SGBY YELLOW (069304)	1	LOW ENERGY (F)
MO-SGBB SANDSTONE (069305)	1	LOW ENERGY (F)
MO-SGBA AMBER (069306)	1	LOW ENERGY (F)
White Goliath	1	LOW ENERGY (F)
VALKEN 47545	1	LOW ENERGY (F)
VALKEN 47552	1	LOW ENERGY (F)
VALKEN 47569	1	LOW ENERGY (F)

CERTIFICATION SCHEDULE

SPECTACLES

STYLE	OPTICAL CLASS	OPTIONS
VALKEN 47606	1	LOW ENERGY (F)
VALKEN 47613	1	LOW ENERGY (F)
VALKEN 47620	1	LOW ENERGY (F)
Overwatch	1	LOW ENERGY (F)
Ocoee	1	LOW ENERGY (F)
Intrepid II	1	LOW ENERGY (F)
Solo	1	LOW ENERGY (F)
Integra	1	LOW ENERGY (F)
Vallejo	1	LOW ENERGY (F)
Proximity	1	LOW ENERGY (F)
Flex-Zone	1	LOW ENERGY (F)
Gravex	1	LOW ENERGY (F)
Isotope	1	LOW ENERGY (F)
Trulock	1	LOW ENERGY (F)
Endeavor Plus	1	LOW ENERGY (F)
Neshoba	1	LOW ENERGY (F)
EDROP2	1	LOW ENERGY (F)
ESB9310STM	1	LOW ENERGY (F)
ESB9320STM	1	LOW ENERGY (F)
Mini Ztek	1	LOW ENERGY (F) SMALL HEAD SIZE(H)

CERTIFICATION SCHEDULE

Goggles

STYLE	OPTICAL CLASS	OPTIONS
GOGGLE (#G304,#G304T, #G404T)	1	Medium Energy (B34)
V2G PLUS	1	Medium Energy (BT)
Capstone (#G504T)	1	Medium energy (BT34)
Capstone (#G604T)	1	Medium energy (BT34)
V2G	1	Medium Energy (B)
17009	1	Medium Energy (BT)
603934	1	Medium Energy (BT3,4)
603944	1	Medium Energy (BT3,4)
603969	1	Medium Energy (BT)
603924	1	Medium Energy (B)
V3G GOGGLE	1	Medium Energy (B)
Capstone Combo	1	Medium energy (BT34)
GOGGLE(#G200T)	1	Medium energy (B5)
Dual Pane Capstone	1	Medium energy (B34)
MO-CMOC CLEAR (048163)	1	Medium Energy (B)
VALKEN 47576	1	Medium Energy (BT)
VALKEN 47583	1	Medium Energy (BT)
VALKEN 47590	1	Medium Energy (BT)
CAPSTONE RL	1	Medium energy (BT34)
Isotope Goggle	1	Low energy (F3)

Goggle options – Medium energy impact (B)/ Medium energy impact at extremes of temperature (BT)/
Liquid Droplets (3) / Large Dust (4) / Gases and fine dust particles (5)

CERTIFICATION SCHEDULE

LENSES	SHADE
CLEAR	2-1.2 (EN170)
	2C-1.2 (EN170)
SMOKE(GRAY)	5-2.5 (EN172)
BROWN(COFFEE)	5-2.5 (EN172)
GREEN	3-3 (EN170)
WELDING 3	3 (EN169)
WELDING 5	5 (EN169)
AMBER	2-1.2 (EN170)
BLUE MIRROR	5-2.5 (EN172)
	3-2.5 (EN170)
GOLD MIRROR	5-2.5 (EN172)
SILVER MIRROR	5-2.5 (EN172)
LIGHT GOLD MIRROR (I/O MIRROR)	5-1.7 (EN172)
ORANGE	2-1.7 (EN170)
INFINITY BLUE	2-1.4 (EN170)
	2C-1.4 (EN170)
ICE RED MIRROR	5-3.1 (EN172)
DARK SMOKE	5-4.1 (EN172)
FIRE MIRROR	5-3.1 (EN172)
ICE BLUE MIRROR	5-3.1 (EN172)
ARC LENS	1.4 (EN169)
SANDSTONE LENS	5-2.5 (EN172)
SHOOTER AMBER LENS	2-2.5 (EN170)
PINK LENS	2C-1.2 (EN170)
SUNBLOCK BRONZE LENS	2-2.5 (EN170)
POLARISED LENS*	5-3.1 (EN172)
(*tested in situ with mentioned model)	
IR 1.4 LENS	1.4 (EN169)
SMOKE GREEN LENS	5-3.1 (EN172)
SMOKE VERMILION LENS	5-2.5 (EN172)
SPECIAL ORANGE RED	2-2 (EN170)

Lens options for spectacles - Resistance to Fogging (N) / Resistance to Scratch (K)